

designed by

LINEA ROSSA
MILANO

LR4100
OPENING SYSTEM

TEKNİK KATALOG TECHNICAL CATALOGUE

Produced By







BEYMETAL
ALÜMİNYUM











LINEA ROSSA

LR4100
OPENING SYSTEM

TEKNİK KATALOG İÇİNDEKİLER

Profil Profile	Profil Kodu Profile Nr	X mm Y mm	lx cm ⁴ ly cm ⁴	Ağırlık Kg/m. Weight Kg/m.	Sayfa Page
	LR-4101	45 mm. 46,6 mm.	8,00 3,04	0.743	08 20 21 22 26
	LR-4102	45 mm. 72,1 mm.	16,83 9,34	0.937	08 20
	LR-4103	45 mm. 72,5 mm.	14,09 3,98	0.869	08
	LR-4105	80 mm. 43,5 mm.	21,68 3,94	1.055	09 27 28
	LR-4109	120 mm. 45 mm.	60,14 16,59	1.267	09 23
	LR-4111	67,1 mm. 45 mm.	8,32 7,00	0.873	10 23

Profil Profile	Profil Kodu Profile Nr	X mm Y mm	lx cm ⁴ ly cm ⁴	Ağırlık Kg/m. Weight Kg/m.	Sayfa Page
	LR-4112	92,6 mm. 45 mm.	22,60 11,88	1.065	10 24
	LR-4113	92,6 mm. 45 mm.	11,68 9,71	0.946	10
	LR-4115	58 mm. 53,25 mm.	10,70 6,02	0.897	13 25
	LR-4121	52 mm. 64,1 mm.	14,01 3,38	0.870	11 21 24 25 28
	LR-4122	52 mm. 74 mm.	18,02 6,13	0.982	11 26
	LR-4123	52 mm. 78,6 mm.	19,91 7,56	1.076	11

Profil Profile	Profil Kodu Profile Nr	X mm Y mm	Ix cm ⁴ Iy cm ⁴	Ağırlık Kg/m. Weight Kg/m.	Sayfa Page
	LR-4126	94,6 mm. 52 mm.	32,70 14,42	1.288	12 22 27
	LR-4128	94,6 mm. 52 mm.	27,92 18,74	1.301	12
	LR-4151	30,58 mm. 43,6 mm.	2,81 0,54	0.330	15
	LR-4156	45 mm. 18,43 mm.	2,71 0,14	0.295	14 26
	4016	18,9 mm. 4,3 mm.	0,16 0,07	0.138	13
	613	40 mm. 40 mm.	4,32 4,32	0.648	14 26
	641	45 mm. 45 mm.	8,24 8,24	0.710	14

Profil Profile	Profil Kodu Profile Nr	X mm Y mm	Ix cm ⁴ Iy cm ⁴	Ağırlık Kg/m. Weight Kg/m.	Sayfa Page
	LR-4137	18,90 mm. 24,85 mm.	0,45 0,09	0.160	17
	LR-4136	18,90 mm. 24,85 mm.	0,55 0,17	0.223	17
	LR-4132	18,90 mm. 24,85 mm.	0,57 0,28	0.225	17
	LR-4135	18,90 mm. 24,85 mm.	0,61 0,46	0.246	17
	LR-4134	21,70 mm. 24,85 mm.	0,68 0,55	0.264	16
	LR-4532	23,70 mm. 24,85 mm.	0,79 0,56	0.283	16
	LR-4133	25,20 mm. 24,85 mm.	0,85 0,57	0.290	16
	LR-4131	29,70 mm. 24,85 mm.	1,10 0,60	0.298	16
	LR-5132	33,70 mm. 24,85 mm.	1,40 0,61	0.319	16
	LR-4531	38,70 mm. 24,85 mm.	1,89 0,63	0.350	16

Opening System Kasa Profili Frame Profile **Pervazlı Kasa Profili**

Sabit Kasa Profili Frame

Fixed Baza Profili Kick Plate Kayıt Profili Sash Profile

Kanat Profili Sash Profile Çift

Kanat Adaptörü Adapter Profile For Double Vent **Panjur**

li Roller Shutter Profile **Tij**

Profili Rod Profile LINEA ROSSA

inüş Axial Turn Eksenel

Dönüş Borusu Pipe of Axial Turn Köşe Pr

er Profile LINEA

ROSSA Pervaz Armature Profile Lambri Panelling

m Çıtası Glazing Bead Cam

Genişliği LINEA ROSSA Teknik Katalog Techn

Linea Rossa Design SRL Milano

LR4100 Opening System Kasa Profili Frame Profile P

Frame Profile Sabit Kasa

Profili Frame Fixed Baza Profili Kick Plate Kayıt Pr

ti Profili

Sash Profile Çift Kanat Adaptörü Adapter Profile For Dou

li Roller

Shutter Profile **Tij Profili Rod Profile** LINEA

inüş Axial

Turn Eksenel Dönüş Borusu Pipe of Axial Turn Köşe Profili

LINEA

LINEA ROSSA

ROSSA Pervaz Armature Profile Lambri Panelling Profile Cam Çıtası Glazing Bead Cam

Genişliği LINEA ROSSA

LR4100 Opening System K

Profili Frame Fixed Baza

Sash Profile Çift Kanat Adaptörü Ada

Profile **Tij Profili Rod Profile** LINEA ROSSA

Eksenel Dönüş Axial Turn

Eksenel Dönüş Borusu Pipe of Axial Turn Köşe Profili

Corner Profile LINEA

ROSSA Pervaz Armature Profile Lambri Panelling Profile Cam Çıtası Glazing Bead Cam

Genişliği LINEA ROSSA Teknik Katalog Technical Catalogue

Linea Rossa Design SRL Milano

LR4100 Opening System Kasa Profili Frame Profile **Pervazlı Kasa Profili**

Frame Profile Sabit Kasa

Profili Frame Fixed Baza Profili Kick Plate Kayıt Profili Sash Profile **PVV Kanallı Kanat Profili**

Sash Profile Çift Kanat Adaptörü Adapter Profile For Double Vent **Panjur**

Lamel Profili Roller

Shutter Profile **Tij Profili Rod Profile** LINEA ROSSA

Eksenel Dönüş Axial

Turn Eksenel Dönüş Borusu Pipe of Axial Turn Köşe Profili

Corner Profile LINEA

ROSSA Pervaz Armature Profile Lambri Panelling Profile Cam Çıtası Glazing Bead Cam

Genişliği LINEA ROSSA Teknik Katalog Technical Catalogue

Linea Rossa Design SRL Milano

LR4100 Opening System Kasa Profili Frame Profile **Pervazlı Kasa Profili**

Frame Profile Sabit Kasa


Profili Frame Fixed Baza Profili Kick Plate Kayıt Profili Sash Profile **PVV Kanallı Kanat Profili**

Sash Profile Çift Kanat Adaptörü Adapter Profile For Double Vent **Panjur**

Lamel Profili Roller

Shutter Profile **Tij Profili Rod Profile** LINEA ROSSA

Eksenel Dönüş Axial




LR4100
OPENING SYSTEM

TEKNİK KATALOG PROFİLLER

Kasa Profili - Frame Profile


0,743 Kg/m

LR-4101

**Pervazlı Kasa Profili - Frame Profile**


0,869 Kg/m

LR-4103

**Kasa Profili - Frame Profile**

0,937 Kg/m


LR-4102



Sabit Kasa Profili - Frame Fixed


1,055 Kg/m

LR-4105

**Baza Profili - Kick Plate**

1,267 Kg/m


LR-4109



Kayıt Profili - Transom Profile


0,870 Kg/m

LR-4111

**Kayıt Profili - Transom Profile**


0,947 Kg/m

LR-4113

**Kanat Profili - Sash Profile**

1,065 Kg/m


LR-4112



Kanat Profili - Sash Profile

0,870 Kg/m


LR-4121



Kanat Profili - Sash Profile

0,982 Kg/m


LR-4122



PVC Kanallı Kanat Profili (13-16 mm.)- Sash Profile

1,076 Kg/m

LR-4123




13-16 mm. Aks için Kanat

Kanat Profili - Sash Profile

1,288 Kg/m


LR-4126



Kanat Profili - Sash Profile

1,301 Kg/m


LR-4128



Çift Kanat Adaptörü - Adapter Profile For Double Vent


0,897 Kg/m

LR-4115

**Tij Profili - Rod Profile**

0,138 Kg/m


4016



Eksenel Dönüş - Axial Turn


0,295 Kg/m

LR-4156

**Eksenel Dönüş Borusu - Pipe of Axial Turn**


0,648 Kg/m

613

**90° Köşe Profili - Corner Profile**

0,710 Kg/m


641









Pervaz - Armature Profile

0,330 Kg/m





LR-4151



Cam Çıtası - Glazing Bead



Cam Çıtası - Glazing Bead



Cam Kalınlığı	Çıta Profili	İç Cam Fitili	Dış Cam Fitili
4 mm	LR-4131	BM-04 (4mm)	BM-26
5 mm	LR-4131	BM-06 (2,5-3mm)	BM-26
6 mm	LR-4131	BM-27 (1,5-2mm)	BM-26
8 mm	LR-4133	BM-27 (1,5-2mm)	BM-26
10 mm	LR-4532	BM-04 (4mm)	BM-26
12 mm	LR-4134	BM-04 (4mm)	BM-26
14 mm	LR-4134	BM-27 (1,5-2mm)	BM-26
16 mm	LR-4135	BM-04 (4mm)	BM-26
18 mm	LR-4135	BM-27 (1,5-2mm)	BM-26
20 mm	LR-4132	BM-04 (4mm)	BM-26
22 mm	LR-4132	BM-27 (1,5-2mm)	BM-26
24 mm	LR-4136	BM-06 (2,5-3mm)	BM-26
26 mm	LR-4136	BM-27 (1,5-2mm)	BM-26
30 mm	LR-4137	BM-05 (5mm)	BM-26



İç Cam Fitili	İç Cam Fitili	İç Cam Fitili	İç Cam Fitili	Dış Cam Fitili	Kasa Fitili	Kanat Fitili	Bini Fitili
BM-27 (1,5-2mm)	BM-06 (2,5-3mm)	BM-04 (4 mm)	BM-05 (5 mm)	BM-26 (3,5 mm)	BM-21	BM-25	BM-51
265 mt.	190 mt.	160 mt.	190 mt.	226 mt.	340 mt.	400 mt.	103 mt.




LINEA ROSSA

LR4100
OPENING SYSTEM




TEKNİK KATALOG DETAYLAR




1 - 1 DETAY




1 - 1 DETAY










4 - 4 DETAY





5 - 5 DETAY







8 - 8 DETAY




9 - 9 DETAY



10 - 10 DETAY



11 - 11 DETAY





12 - 12 DETAY



LINEA ROSSA

LR4100
OPENING SYSTEM

TEKNİK KATALOG KESİM ÖLÇÜLERİ



Kanat Geniřlięi

$$A = L - 40.2 \text{ mm.} \quad A = L1 + 12 \text{ mm.}$$

Kanat Ykseklięi




$$B = H - 40.2 \text{ mm.} \quad B = H1 + 12 \text{ mm.}$$

Cam Geniřlięi

$$C = L - 128.4 \text{ mm.}$$

Cam Ykseklięi

$$D = H - 128.4 \text{ mm.}$$



Kanat Geniřlięi

$$A = L - 91.2 \text{ mm.} \quad A = L1 + 12 \text{ mm.}$$

Kanat Ykseklięi




$$B = H - 91.2 \text{ mm.} \quad B = H1 + 12 \text{ mm.}$$

Cam Geniřlięi

$$C = L - 179.4 \text{ mm.}$$

Cam Ykseklięi

$$D = H - 179.4 \text{ mm.}$$



Kanat Geniřlięi

$$A = \frac{L - 45,2}{2} \text{ mm.} \quad A = \frac{L1 + 7}{2} \text{ mm.}$$

Kanat Ykseklięi

$$B = H - 40,2 \text{ mm.} \quad B = H1 + 12 \text{ mm.}$$

Cam Geniřlięi

$$C = \frac{L - 239,6}{2} \text{ mm.}$$

Cam Ykseklięi

$$D = H - 128,4 \text{ mm.}$$



LINEA ROSSA
MILANO

01/AĞUSTOS 2013



designed by

LINEA ROSSA
MILANO

LR4100
OPENING SYSTEM

TEKNİK KATALOG TECHNICAL CATALOGUE

www.linearossa.eu

BEY METAL ALÜMİNYUM

Kemalpaşa Organize Sanayi Bölgesi Ulusuluk Mevkii
İstiklal Mahallesi No:21 Ulucak Kemalpaşa-İZMİR
Tel : +90 232 877 21 14 (pbx) Fax: +90 232 877 03 39
info@beymetal.com.tr | www.beymetal.com.tr

Produced By

